

## Introduction to Rational Functions

**Even Function** – A function where  $f(x) = f(-x)$  for all  $x$  in the domain of  $f(x)$ .

**Odd Function** – A function where  $f(-x) = -f(x)$  for all  $x$  in the domain of  $f(x)$ .

We will start by reviewing what the “classic curves” look like.

Equation	Critical Points	Asymptotes	Even or Odd?	Sketch
$y = x^2$				
$y = x^3$				
$y = \sqrt{x}$				
$y = \sqrt[3]{x}$				
$y = \frac{1}{x}$				
$y = \frac{1}{x^2}$				
$y = \frac{1}{x^3}$				

## Rational Functions

We will spend a lot of time this unit exploring graphs of rational functions. A rational function is a function that has the form  $f(x) = \frac{g(x)}{h(x)}$  where  $g(x)$  and  $h(x)$  are polynomials and  $h(x) \neq 0$ .


\*\*Note in the case where  $h(x) = k$  (where  $k$  is a constant) really means that  $f(x)$  reduces to a polynomial function. \*\*

## Reciprocal Functions


If  $f(x) = \frac{g(x)}{h(x)}$  and  $g(x) = 1$ , then  $f(x) = \frac{1}{h(x)}$  and  $f(x)$  can be treated as the reciprocal function of  $h(x)$ . We have already looked at graphing functions of this form and we will review this concept.

### Examples


$$f(x) = \frac{1}{x^2 - 1}$$



$$f(x) = \frac{1}{x^3 - 4x}$$



$$f(x) = \frac{1}{\sqrt{x+1}-2}$$



**(bring headphones to class tomorrow if possible).**

### Problem Set

1. Examine each equation below. Classify the function as **even**, **odd** or **neither**.

a)  $f(x) = x^2 - 3x^4$

b)  $y = -\sqrt[5]{x^2}$

c)  $y = \frac{1}{x^2+2x}$

d)  $g(x) = \sin x$

e)  $y = \cos x$

f)  $f(x) = \frac{2x}{3x^2-5}$       g)  $y = 2x + 3$

2. Graph each function  $f(x)$ . Then graph the reciprocal function  $y = \frac{1}{f(x)}$ .

a)  $f(x) = |x| - 4$


b)  $f(x) = 2x - 4$

c)  $f(x) = x^2 + 1$

d)  $f(x) = x^2 - 9$

e)  $f(x) = \log x$

3. Explain why the graph of  $f(x) = \frac{a}{bx+c}$  must have a vertical asymptote. (a, b and c are real number constants).
4. Let  $f(x) = \frac{a}{bx^2+cx+d}$  where a, b, c and d are real number constants. Under what conditions will  $f(x)$  have no vertical asymptotes? 1 vertical asymptote? 2 vertical asymptotes?
5. A graph is shown below. Find a possible equation for the graph in the form  $f(x) = \frac{a}{bx^2+cx+d}$ .



6. a) Sketch the graph of  $f(x) = x^3 + 4x^2 + 4x$ , by finding all intercepts and turning points. (great exam review).
- b) Use your answer to part a) to sketch the graph of  $g(x) = \frac{1}{x^3+4x^2+4x}$ .

#### ANSWERS

1. a) even b) even c) neither d) odd e) even f) odd g) neither

2. you will verify your answers tomorrow. 5.  $y = \frac{-6}{2x^2-x-15}$  6. Verify tomorrow.